




with permission from Canadian authorities © Her Majesty the Queen in Right of Canada Copyright © 1988-2002 Microsoft Corp. and/or its suppliers. All rights reserved. http://www.microsoft.com/streets © Copyright 2001 by Geographic Data Technology, Inc. All rights reserved. © 2001 Navigation Technologies. All rights reserved. This data includes information taken








TYPICAL LOT LAYOUT

SCALE: 1" = 40'




TYPICAL SLAB ON GRADE CROSS SECTION


SCALE: 1" = 40'

PROJECT: DOVE'S LANDING SUBDIVISION LOCATION: SECTION 23, T6S-R8E TANGIPAHOA PARISH, LOUISIANA

BODIN AND WEBB, INC. ENGINEERS & SURVEYORS 1024 S. CYPRESS ST. HAMMOND, LA 70403



TYPICAL DITCH SECTION SCALE: 1"=10'



8" OF SOIL CEMENT. PERCENTAGE TO BE DETERMINED BY DESIGN ENGINEER AFTER FIELD TEST, APPLIED BY VOLUME AND COMPACTED TO 95% STANDARD PROCTOR AS PER LATEST EDITION OF THE LOUISIANA STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES.

OR

8" OF SAND, CLAY, GRAVEL COMPACTED TO 100% STANDARD PROCTOR AS PER LATEST EDITION OF THE LOUISIANA STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES. UTILITY AND DRAINAGE LOCATIONS

SCALE: 1"=10'

MINIMUM OF 12" OF SUB-BASE WITH PLASTICITY INDEX OF 15 OR LESS UNDISTURBED OR COMPACTED TO 95% STANDARD PROCTOR.

PROJECT: DOVE'S LANDING SUBDIVISION LOCATION: SECTION 23, T6S-R8E TANGIPAHOA PARISH, LOUISIANA

BODIN AND WEBB, INC. ENGINEERS & SURVEYORS 1024 S. CYPRESS ST. HAMMOND, LA 70403